

Name: Key

Date: \_\_\_\_\_

Use the following to review for you test. Work the Practice Problems on a separate sheet of paper.

What you need to know & be able to do	Things to remember	Problem	Problem
<b>Central Tendency</b>	<ul style="list-style-type: none"> <li>• Mean</li> <li>• Median</li> <li>• Mode</li> </ul>	<p>1. 36, 39, 58, 42, 106, 39, 48, 45</p> <p>Mean: 51.625 (51.63)</p> <p>Median: 43.5</p> <p>Mode: 39</p>	<p>2. 50, 55, 60, 58, 62, 57, 68, 51, 63</p> <p>Mean = 58.22</p> <p>Median = 58</p> <p>Mode = None</p>
<b>Measures of Spread</b>	<ul style="list-style-type: none"> <li>• Q1</li> <li>• Q3</li> <li>• IQR</li> <li>• Minimum</li> <li>• Maximum</li> <li>• Range</li> <li>• MAD</li> </ul>	<p>3. (Use the same #s from 1)</p> <p><math>Q_1 = 39</math>   <math>Q_3 = 53</math></p> <p>IQR = 14</p> <p>Min = 36   Max = 106</p> <p>Range = 70</p> <p>MAD = 15.19</p>	<p>4. (Use the same #s from 2)</p> <p><math>Q_1 = 53</math>   <math>Q_3 = 62.5</math></p> <p>IQR = 9.5</p> <p>Min = 50   Max = 68</p> <p>Range = 18</p> <p>MAD = 4.47</p>
<b>Box-and-Whisker Plot and Outliers</b>	<ul style="list-style-type: none"> <li>• First dot: Min</li> <li>• First Line: Q1</li> <li>• Middle Line: Median</li> <li>• Third Line: Q3</li> <li>• Last dot: Max</li> <li>• Outlier: <math>Q_1 - 1.5(IQR)</math> <math>Q_3 + 1.5(IQR)</math></li> </ul>	<p>5. Using the data from #1 &amp; 3, construct a box and whisker plot.</p>	<p>6. Are there any outliers? Show your work!</p> <p><math>39 - 1.5(14) = 18</math></p> <p><math>53 + 1.5(14) = 74</math></p> <p><math>106 &gt; 74</math>, so <span style="border: 1px solid black; padding: 2px;">106</span></p>
<b>Correlation vs. Causation</b>	<ul style="list-style-type: none"> <li>• Positive: Both items are increasing/decreasing</li> <li>• Negative: one item increases as the other decreases</li> <li>• No Correlation: No relationship</li> <li>• Causation: One item causes the other.</li> </ul>	<p>7. Practicing Free Throws vs. Free Throw Percentage</p> <p>Positive</p>	<p>8. Colors of the Sky vs. Time of Day</p> <p>None</p> <p>(colors don't cause the time)</p>
		<p>9. Weight vs. Amount of Exercise</p> <p>Negative</p>	<p>10. Number of Followers on Twitter vs. Number of Friends on Facebook</p> <p>Positive - Popular on one, Popular on the other</p> <p>None - Two different approaches to getting followers vs. friends</p>

<p><b>Linear Regression</b></p>	<ul style="list-style-type: none"> <li>• <math>y = ax + b</math></li> <li>• <math>r</math> = correlation coefficient (if close to 0 bad fit; if close to 1 or -1 good fit.)</li> </ul>	<p>11. Determine the line of best fit. Is this model a good fit for the data?</p> <table border="1" data-bbox="727 212 1523 281"> <tr> <td>Price</td> <td>4.00</td> <td>5.50</td> <td>3.50</td> <td>8.00</td> <td>5.50</td> <td>7.00</td> </tr> <tr> <td># of Sandwiches</td> <td>68</td> <td>55</td> <td>85</td> <td>22</td> <td>64</td> <td>28</td> </tr> </table> <p><math>y = -13.72x + 130.28</math>      <math>r = -.96</math>  <i>This is a good fit.</i></p>	Price	4.00	5.50	3.50	8.00	5.50	7.00	# of Sandwiches	68	55	85	22	64	28						
Price	4.00	5.50	3.50	8.00	5.50	7.00																
# of Sandwiches	68	55	85	22	64	28																
<p><b>Quadratic Regression</b></p>	<p>Data Data 4 (clear)</p> <p>Type in new data</p> <p>2nd Data Quadratic Reg</p> <p>Change to YES</p> <p>Write your equation in Standard Form</p> <p>To PREDICT values use f( on the TABLE button</p>	<p>The amount of medication in a patient's bloodstream varies over time. The table below shows the concentration of a certain medication in milligrams per liter at various time intervals after being administered.</p> <table border="1" data-bbox="678 527 1468 632"> <tr> <td>Time (minutes)</td> <td>0</td> <td>30</td> <td>60</td> <td>90</td> <td>120</td> <td>150</td> </tr> <tr> <td>Concentration (mg/L)</td> <td>0</td> <td>39.02</td> <td>49.93</td> <td>42.34</td> <td>25.06</td> <td>7.78</td> </tr> </table> <p>15. What is the quadratic regression model? Write in Standard Form and round to 4 decimal places.</p> <p><math>y = -.0078x^2 + 1.1633x + 4.6421</math></p> <p>16. Predict the concentration of the medicine at 12 hours (720 minutes).</p> <p><math>-3213.01 / -3201.30</math></p>	Time (minutes)	0	30	60	90	120	150	Concentration (mg/L)	0	39.02	49.93	42.34	25.06	7.78						
Time (minutes)	0	30	60	90	120	150																
Concentration (mg/L)	0	39.02	49.93	42.34	25.06	7.78																
<p><b>Exponential Regression</b></p>	<ul style="list-style-type: none"> <li>• <math>y = a(b)^x</math></li> <li>• <math>r</math> = correlation coefficient (if close to 0 bad fit; if close to 1 or -1 then good fit.)</li> </ul>	<p>12. Determine the exponential regression model. Is this model a good fit for the data?</p> <table border="1" data-bbox="727 1192 1344 1262"> <tr> <td>Year</td> <td>0</td> <td>2</td> <td>4</td> <td>7</td> </tr> <tr> <td>Revenue</td> <td>3</td> <td>4</td> <td>11</td> <td>25</td> </tr> </table> <p><math>y = 2.68(1.38)^x</math>      <math>r = .98</math>  <i>This is a good fit.</i></p>	Year	0	2	4	7	Revenue	3	4	11	25										
Year	0	2	4	7																		
Revenue	3	4	11	25																		
<p><b>Probability</b></p>	<ul style="list-style-type: none"> <li>• Joint Probability: Individual Cell/Table Total</li> <li>• Marginal Probability: Row or Column Total/ Table Total</li> <li>• Conditional Probability: Individual Cell/Row or Column Total</li> </ul>	<p>Complete the table to answer the following questions.</p> <table border="1" data-bbox="740 1377 1471 1556"> <tr> <td></td> <td>Football</td> <td>Basketball</td> <td>Soccer</td> <td>Total</td> </tr> <tr> <td>Males</td> <td>48</td> <td>35</td> <td>17</td> <td>100</td> </tr> <tr> <td>Females</td> <td>22</td> <td>38</td> <td>40</td> <td>100</td> </tr> <tr> <td>Total</td> <td>70</td> <td>73</td> <td>57</td> <td>200</td> </tr> </table> <p>13. What is the probability that a randomly chosen person is a female and likes soccer? <math>\frac{40}{200} = .2</math></p> <p>14. What is the probability that someone likes basketball? <math>\frac{73}{200} = .37</math> (.365)</p> <p>15. Given that a person likes football, what is the probability they are male? <math>\frac{48}{70} = .69</math></p>		Football	Basketball	Soccer	Total	Males	48	35	17	100	Females	22	38	40	100	Total	70	73	57	200
	Football	Basketball	Soccer	Total																		
Males	48	35	17	100																		
Females	22	38	40	100																		
Total	70	73	57	200																		

3) 1)  $\bar{x} = 51.625$

2+3) 15.625, 12.625, 6.375, 9.625, 54.375, 12.625, 3.625, 6.625

4)  $\frac{1215}{8} = 15.1875 = 15.19$

4) 1)  $\bar{x} = 58.22$

2+3) 8.22, 3.22, 1.78, .22, 3.78, 1.22, 9.78, 7.22, 4.78

4)  $\frac{40.21}{9} = 4.47$